





RPE IRRIGATION





Irrigation Systems





2

IRRIGATION

IN THE PAST







SMART SOLUTIONS **Irrigation Systems**





The wide range of **RPE solenoid valves** are suitable for many types of irrigation systems.

Solenoid valves and **controllers** are specifically designed for irrigating sports grounds and agricultural areas as well as gardens, terraces, verandas and balconies.

High quality materials are used to ensure efficiency, long life and reliability to our solenoid valves.

Electronic controller features and programs are developed to provide the highest quality and reliability.



Solenoid Valves



SMART SOLUTIONS

4

SECOND SERIES





THIRD SERIES

Working pressure:	0,5 - 10 bar		Inlet/Outlet:	1/2" Female
				3/4" Male;
				3/4" Female
Control:	Normally Closed (NC);			1" Male;
	Normally Open (NO);			1" Female
	Latching			1" 1/4 Female
				1" 1/2 Female
Coils:	12V AC,12V DC, L9V DC	· · · · · · · · · · · · · · · · · · ·		2" Female
	110V AC, 230V AC			3" Male



Controllers SMART SOLUTIONS



5



CHRONO 9/24V - 4,6, 8 ZONES

Battery or 24V AC transformer powered programmable controllers for irrigation systems.

For public and residential irrigation systems, for sports grounds and greenhouses.

Voltage:	Battery 9V or transformer 24V AC
Operator:	RPE latching solenoid 9V or RPE monostable solenoids 24V AC
Sensors:	Mini Click Type
Irrigation:	4 programs with 4 starts per program (for 24 V version: program from 1 min. to 19 hours and 59 min.)
Frequency:	Fixed frequency to 16 or calendar

Controllers



SMART SOLUTIONS



PRO 100/200/400 1,2,4, ZONES

The PRO Series controller is able to operate simultaneously a MASTER valve and an irrigation Controller using RPE® latching 9V solenoids.

Watertight, it can be installed inside valve boxes.

Mode selection:	Selectors for timing, buttons for functions	
Timing:	Programmable from 2 minutes to 150 minutes	
Frequency:	From 1 hour to 7 days	
Starting:	Delay from 10 minutes to 72 hours	
Memory:	Memorization of water cycling data pressing "SAVE" button, manual with "MAN"	
Stations:	Cascade actuating selection	
Control:	Output to pump actuated by latching relay, or master valve (Pro 200 - Pro 400)	



DIG

The DIG programmer is the Digital controller using RPE® latching 9V solenoids.

Watertight, it can be installed inside valve boxes.

Mode selection:	Graphic display and 4 buttons
Irrigation:	Programmable from 1 minute to 19 hours 59 minutes, or manual
Timing:	Water cycling programmes, including a weekly calendar
Starting:	From 1 to 10 starts per day
Memory:	Water cycling data ritention











New programmable Tap Timer with integrated Solenoid Valve.

Watertight, Inlet and Outlet connections for multiple solutions.


Mode selection:	3 buttons and signal LED
Irrigation:	Programmable from 30 seconds to 90 minutes, or manual
Timing:	Programmable from 1 hour to 72 hours
Starting:	Delay adjustable from 10 minutes to 24 hours, with manual override for immediate start
Connections:	IN/OUT 1/2"M, 3/4" M, 3/4" F, JG8mm, JG10mm, Hose Tail 10, Garden 16mm



Irrigation SET SOLUTIONS



9



SET ATTICO – 12pcs SET BIO GARDEN – 20pcs

Automatic Drip Irrigation Set made up by 12 and 20 drippers, and all necessary connections.

Designed for small gardens and vegetable garden.

Controller LED 100 and Pressure Regulator included







NOTHING GREAT HAS EVER BEEN DONE WITHOUT PASSION

Thanks for your attention



www.rpesrl.it